

Mounting frames for plasterboard walls



Karton Pratika 9.0 technical data sheet
Standard code 377339

Sommario

DESCRIPTION	3
FEATURES	3
STRUCTURE FEATURES	4
CISTERN FEATURES	4
DIMENSIONS	5
STANDARD SUPPLY	6
ON DEMAND	6
PACKAGING	6
ACCESSORIES AND SPARE PARTS	6
ELENCO	9

Karton PratiKa 9.0

Mounting frames for plasterboard walls

DESCRIPTION

Mounting frame for wall-hung WCs complete with 9lt Monolith 9.0 flush-mounted cistern. Also available in 6lt version.

For plasterboard walls.

Karton PratiKa is the ideal solution for installations in equipped plasterboard walls: no kit required and reduced risk of error.

FEATURES

Features and plus



For wall-hung wc



For plasterboard walls



9 litre capacity



Double discharge with adjustable partial (2.5 to 3.5 litres)



Assembly in 15 minutes and maintenance in 5 minutes



FLEXVALVE



Monoblock container



Lago system



NORMA-PLUS float valve, acoustic cl. 1. LGA-TUV



100% Made in Italy

STRUCTURE FEATURES

- Anti-corrosion galvanised frame
- Thickness 100 mm
- Adjustable fixings from 180 to 230 mm

CISTERN FEATURES

- 9 litre one-piece high-density PE container without splice points
- Repairable in case of accidental drilling
- Plaster holder fixing mesh
- Extruded closed-cell PE insulation, anti-condensate and soundproofing with thermal resistance
- Structure certified in accordance with current UNI EN 977/1-997-89500/2 standards to withstand 400 kg if installed / walled correctly
- FlexValve: discharge valve with silicon gasket. Made of polypropylene with silicone additive (PTE)
- Norma-Plus float valve acoustic class 1 LGA-TUV approved
- Maintenance operations without using tools
- Pneumatisable without the need to replace internal components

DIMENSIONS

S

STANDARD SUPPLY

- Set of self-tapping screws for structure fastening
 - Polystyrene insulated telescopic drain pipe
 - Removable drain
 - Discharge valve
 - Norma-Plus float valve
 - Protection template to shape perimeter of tiles or plaster
 - Protection caps for outlet pipe
- IT NEEDS TO BE INTEGRATED WITH DUAL COUNTERPLATE COD. 317010


ON DEMAND

- Dual counter-plate
 - Fidia/Itaka/Aurea plate
 - Adapter 90/110mm
 - 90/100mm adaptor
 - Penumatic system
- S

PACKAGING

CODE	PCS	LxDxH	KG
377319	1	590x150x1320 mm	13,30

ACCESSORIES AND SPARE PARTS



ACCESSORI INCLUSI
INCLUDED



cod 305252



cod 300388



cod 300338*



cod 204015



cod 369080
Ø 90



cod 305229



cod 305123



Kit barre WC M12
completo
M12 WC Bar Kit
complete

NON INCLUSI
NOT INCLUDED



cod 317010
controplacca duo - counter plate

Aurea
Fidia
Itaka



Placca comando
Control plate



cod. 400190



cod. 400195



cod. 400194



cod. 400197

ACCESSORI A RICHIESTA
ON DEMAND



cod 379080
Ø 90/110



cod 820561
Ø 90/100



cod 617004
Ø100/110



cod 820560
Ø 90/110

ELENCO

CODE	DESCRIPTION
300388	Norma float valve 3/8" for concealed cisterns (on demand according to the code)
300338*	Norma-Plus 3/8" float valve for concealed cisterns, acoustic class I
305229	Dismountable brass stop valve 3/8"-3/8" including fitting 1/2"-3/8"
305252	Discharge valve
305123	9.0 removable drain with O-Ring gasket
204015	Pipe ø40 mm+ white clamp ø40 mm
369080	90° black outlet elbow ø 90 mm
400190	Pneu transforming kit with aluminium inspection plate and remote white hand-button
400195	Pneu transforming kit with aluminium inspection plate and remote white plastic leg-button for floor/wall
400194	Pneu transforming kit with aluminium inspection plate and remote inox leg-button
400197	Pneu transforming kit with aluminium inspection plate and remote white hand-button
617004	Concentric sleeve ø 100/110 mm
820560	Adaptor ø 90/110 mm
820561	Adaptor ø 90/100 mm
379080	Black outlet bend 90° ø 90/110 mm